

Zend_Dom Proposal - Steven Brown

<ac:macro ac:name="note"><ac:parameter ac:name="title">Under Construction</ac:parameter><ac:rich-text-body><p>This proposal is under construction and is not ready for review.</p></ac:rich-text-body></ac:macro>

<ac:macro ac:name="unmigrated-inline-wiki-markup"><ac:plain-text-body><![CDATA[

<ac:macro ac:name="unmigrated-inline-wiki-markup"><ac:plain-text-body><![CDATA[

Zend Framework: Zend_Dom Component Proposal

Proposed Component Name	Zend_Dom
Developer Notes	http://framework.zend.com/wiki/display/ZFDEV/Zend_Dom
Proposers	Steven Brown
Revision	0.1 - 7 February 2008: Created. (wiki revision: 3)

Table of Contents

1. Overview
2. References
3. Component Requirements, Constraints, and Acceptance Criteria
4. Dependencies on Other Framework Components
5. Theory of Operation
6. Milestones / Tasks
7. Class Index
8. Use Cases
9. Class Skeletons

1. Overview

Zend_Dom will provide DOM interpretation of HTML and CSS code to create a full DOM tree that can be modified and rendered. This will give developers a good idea of what the DOM may look like at a browser level, with the ability to tweak the DOM according to different browser interpretations. This could then be expanded to render the DOM to an image or PDF. This may also be useful for the Zend_Css class.

2. References

- [Harry Houdini Wikipedia Entry](#)
- [MagicTricks.com](#)

3. Component Requirements, Constraints, and Acceptance Criteria

Most requirements take the form of "foo will do" or "foo will not support ...", although different words and sentence structure might be used. Adding functionality to your proposal is requirements creep (bad), unless listed below. Discuss major changes with your team first, and then open a "feature improvement" issue against this component.

- This component **will** correctly read a developer's mind for intent and generate the right configuration file.
- The generated config file **will not** support XML, but will provide an extension point in the API.
- This component **will** use no more memory than twice the size of all data it contains.
- This component **will** include a factory method.
- This component **will not** allow subclassing. (i.e. when reviewed, we expect to see "final" keyword in code)
- This component **will** only generate data exports strictly complying with RFC 12345.
- This component **will** validate input data against formats supported by ZF component Foo.
- This component **will not** save any data using Zend_Cache or the filesystem. All transient data **will be** saved using Zend_Session.

4. Dependencies on Other Framework Components

- Zend_Exception

5. Theory of Operation

The component is instantiated with a mind-link that ...

6. Milestones / Tasks

Describe some intermediate state of this component in terms of design notes, additional material added to this page, and / code. Note any significant dependencies here, such as, "Milestone #3 can not be completed until feature Foo has been added to ZF component XYZ." Milestones will be required for acceptance of future proposals. They are not hard, and many times you will only need to think of the first three below.

- Milestone 1: [design notes will be published here](#)
- Milestone 2: Working prototype checked into the incubator supporting use cases #1, #2, ...
- Milestone 3: Working prototype checked into the incubator supporting use cases #3 and #4.
- Milestone 4: Unit tests exist, work, and are checked into SVN.
- Milestone 5: Initial documentation exists.

If a milestone is already done, begin the description with "[DONE]", like this:

- Milestone #: [DONE] Unit tests ...

7. Class Index

- Zend_Magic_Exception
- Zend_Magic (factory class)
- Zend_Magic_MindProbe
- Zend_Magic_MindProbe_Intent
- Zend_Magic_Action
- Zend_Magic_CodeGen

8. Use Cases

UC-01

... (see good use cases book)

9. Class Skeletons

```
class Zend_Magic_Exception extends Zend_Exception {}  
  
class Zend_Magic {  
    ...  
}
```

]]</ac:plain-text-body></ac:macro>
]]</ac:plain-text-body></ac:macro>